


SCARD Pool report for 01-01-2000 to 05-05-2026

Participants	Doctors	1,946	
	Patients	640,021	
Specimens	New lesions	1,770,361	84.26%
	Previously biopsied lesions	330,705	15.74%
	Total lesions	2,101,066	100.00%

Breakdown of new versus previously biopsied specimens


Percentage of new lesions tested which were malignant	62.06%
Percentage of Definitively excised lesions that were malignant	79.40%
Lesions tested to find one melanoma (NNT)	4.61
Percentage of lesions tested for NMSC which were NMSC	76.57%
Ratio of New BCCs : New Melanomas	9:1

Accuracy
Diagnostic sensitivity

Melanomas	74.34% of 57,238
All NMSC	95.29% of 1,003,547
BCCs	90.62% of 540,692
SCCs	81.61% of 457,595

Positive predictive value



Melanomas	42.36% of 100,459
All NMSC	82.96% of 1,152,756
BCCs	42.51% of 1,152,756
SCCs	65.76% of 567,907

Adequacy
Percentage of definitively managed malignant cases where surgical margins were adequate

BCC	87.75% of 370,115
IEC/Bowens disease	83.52% of 111,111
SCC	87.60% of 135,057
Keratoacanthoma	92.42% of 19,670
Melanoma - in situ	77.08% of 37,331
Melanoma - invasive	75.78% of 10,340
Melanoma - invasive > 1mm	44.32% of 1,392
Other malignant	69.02% of 1,646

Lesion Breakdown
Histological Diagnosis

BCC (unspecified type)	46,921	2.65%
BCC - Superficial	155,730	8.79%
BCC - Nodular/Solid	267,020	15.06%
BCC - Aggressive	71,021	4.01%
IEC/Bowens disease	243,073	13.71%
SCC	187,060	10.55%
Keratoacanthoma	27,462	1.55%
Pinkus Fibroepithelioma	211	0.01%
Merkel cell tumour	202	0.01%
Other malignant	2,469	0.14%
NMSC Metastasis	69	0.00%
Melanoma - in situ	41,157	2.32%
Melanoma - invasive	12,534	0.71%
Melanoma - invasive > 1mm	3,077	0.17%
Melanoma - metastasis	470	0.03%
MELTUMP	2,309	0.13%
Naevus - other	95,495	5.39%
Naevus - dysplastic/Clark	60,551	3.42%
Naevus - blue	6,211	0.35%
Naevus - Spitz/Reed	2,188	0.12%
Naevus - Compound	8,000	0.45%
Solar keratosis	159,737	9.01%
Solar lentigo	23,669	1.34%
Seborrhoeic keratosis	93,478	5.27%
Lentigo Simplex	518	0.03%
Lichenoid keratosis (LPLK)	31,618	1.78%
Dermatofibroma	12,933	0.73%
Sebaceous gland hyperplasia	3,650	0.21%
Benign cyst	27,911	1.57%
Other benign	118,495	6.68%
Histology Pending	2,292	0.13%



Procedures
Definitive Surgical Management used to exclude melanoma

Ellipse	53,865	85.79%
Flap	1,107	1.76%
Graft - SSG	84	0.13%
Graft - FTSG	203	0.32%
No Closure	135	0.22%
Shave/Saucerisation	2,727	4.34%
Curettage & Cautery	826	1.32%
Liquid N2 freeze/thaw	42	0.07%
PDT	4	0.01%
Imiquimod	7	0.01%
5 FU cream	16	0.03%
GP referral	2,347	3.74%
Specialist referral	897	1.43%
Other	447	0.71%

Biopsy used to exclude melanoma

Punch - sample	16,660	7.72%
Shave - sample	27,047	12.54%
Incisional	3,156	1.46%
Punch - removal	38,710	17.94%
Shave - removal	50,757	23.53%
Excisional	78,259	36.28%
Curettage	806	0.37%
Other	289	0.13%

Breakdown of definitive management procedures for malignant conditions

Ellipse	594,023	64.54%
Flap	78,301	8.51%
Graft - SSG	5,262	0.57%
Graft - FTSG	20,102	2.18%
No Closure	3,502	0.38%
Shave/Saucerisation	14,060	1.53%
Curettage & Cautery	118,375	12.86%
Liquid N2 freeze/thaw	12,018	1.31%
PDT	1,730	0.19%
Imiquimod	9,197	1.00%
5 FU cream	16,179	1.76%
GP referral	12,735	1.38%
Specialist referral	23,819	2.59%
Other	3,897	0.42%

Breakdown of definitive management procedures for benign conditions

Ellipse	89,378	73.70%
Flap	1,555	1.28%
Graft - SSG	69	0.06%
Graft - FTSG	180	0.15%
No Closure	365	0.30%
Shave/Saucerisation	9,865	8.13%
Liquid N2 freeze/thaw	3,809	3.14%
5 FU cream	1,599	1.32%
GP referral	1,220	1.01%
Specialist referral	719	0.59%
Other	2,324	1.92%

Procedures (continued)
Percentage of procedures/closures that were complex

Complex Closures	1.13% of 159,898
Complex Closures (inc Curettage & Cautery)	1.06% of 169,523

Locations
Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	597	0.56% of 105,676
Lip	74	0.26% of 28,378
Ear	1273	1.71% of 74,603
Eyelid	116	0.67% of 17,241
Other face	5599	1.89% of 296,800
Scalp	1434	2.16% of 66,243
Neck	2450	2.69% of 91,210
Shoulder	4158	5.01% of 82,959
Chest	2947	2.81% of 105,013
Abdomen	1322	5.71% of 23,164
Genitalia	21	0.91% of 2,299
Back	17874	7.01% of 254,867
Buttock	164	3.76% of 4,363
Arm	6063	5.79% of 104,750
Forearm	3516	2.62% of 134,116
Hand Dorsal	129	0.19% of 67,832
Hand Palmar	9	1.59% of 565
Finger Dorsal	32	0.25% of 13,057
Finger Nail	20	9.30% of 215
Finger Palmar	4	1.45% of 275
Thigh	2830	5.21% of 54,335
Leg	5937	2.76% of 215,011
Foot Dorsal	383	2.42% of 15,832
Foot Plantar	93	5.62% of 1,654
Toe Dorsal	82	3.31% of 2,481
Toe Nail	7	3.23% of 217
Toe Plantar	13	4.04% of 322
Palm Or Sole	0	0% of 22

