

SCARD Pool report for 01-01-2001 to 31-12-2001

Participants	Doctors	11	
	Patients	70	
Specimens	New lesions	130	80.25%
	Previously biopsied lesions	32	19.75%
	Total lesions	162	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	71.09%
Percentage of Definitively excised lesions that were malignant	70.87%
Lesions tested to find one melanoma (NNT)	1.36
Percentage of lesions tested for NMSC which were NMSC	70.18%
Ratio of New BCCs : New Melanomas	4:1

Accuracy

Diagnostic sensitivity

Positive predictive value

Melanomas	72.73% of 11
All NMSC	81.25% of 80
BCCs	86.67% of 45
SCCs	48.57% of 35
Melanomas	80.00% of 10
All NMSC	85.53% of 76

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate

BCCs

SCCs


BCC	80.00% of 20
IEC/Bowens disease	100.00% of 3
SCC	100.00% of 3
Keratoacanthoma	100.00% of 1
Melanoma - in situ	100.00% of 2
Melanoma - invasive	100.00% of 8
Melanoma - invasive > 1mm	0% of 0
Other malignant	0% of 0

51.32% of 76 68.00% of 25



Lesion Breakdown Histological Diagnosis

BCC (unspecified type)	4	3.08%
BCC - Superficial	22	16.92%
BCC - Nodular/Solid	14	10.77%
BCC - Aggressive	5	3.85%
IEC/Bowens disease	26	20.00%
SCC	8	6.15%
Keratoacanthoma	1	0.77%
Pinkus Fibroepithelioma	0	0%
Merkel cell tumour	0	0%
Other malignant	0	0%
NMSC Metastasis	0	0%
Melanoma - in situ	3	2.31%
Melanoma - invasive	8	6.15%
Melanoma - invasive > 1mm	0	0%
Melanoma - metastasis	0	0%
MELTUMP	0	0%
Naevus - other	0	0%
Naevus - dysplastic/Clark	5	3.85%
Naevus - blue	0	0%
Naevus - Spitz/Reed	0	0%
Naevus - Compound	0	0%
Solar keratosis	27	20.77%
Solar lentigo	0	0%
Seborrhoeic keratosis	2	1.54%
Lentigo Simplex	0	0%
Lichenoid keratosis (LPLK)	0	0%
Dermatofibroma	1	0.77%
Sebaceous gland hyperplasia	1	0.77%
Benign cyst	0	0%
Other benign	1	0.77%
Histology Pending	0	0%





Procedures

	Procedures			
Flap	Definitive Surgical Manage	ement used to exclude melanoma		
Graft - SSG 0 0 %		Ellipse	6	85.71%
Graft - FTSG		Flap	1	14.29%
No Closure 0		Graft - SSG	0	0%
Shave/Saucerisation 0 0% Curettage & Cautery 0 0% Liquid M2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% 6 FU cream 0 0% GP referral 0 0% Specialist referal 0 0% Other 0 0% Biopsy used to exclude melanoma 2 250% Biopsy used to exclude melanoma 0 0% Punch - sample 2 250% Shave - sample 0 0% Incisional 0 0% Punch - removal 0 0% Shave - removal 0 0% Curettage 0 0% Curettage 0 0% Curettage 0 0% Graft - SSG 0 0% Graft - FSG 0 0% No Closure 0 0% Curettage & Cautery 45 </td <td></td> <td>Graft - FTSG</td> <td>0</td> <td>0%</td>		Graft - FTSG	0	0%
Curettage & Cautery 0		No Closure	0	0%
Curettage & Cautery 0		Shave/Saucerisation	0	0%
Liquid N2 freeze/thaw 0 0% PDT 0 0% 0% 0% 0% 0% 0% 0%			0	
PDT			0	
Imiquimod		·		
FU cream 0 0% 6% 6% 6% 6% 6% 6%				
GP referral 0 0% Specialist referral 0 0% Other 0 0% Biopsy used to exclude melanoma Punch - sample 2 25.00% Floricional 0 0% Incisional 0 0% Punch - removal 0 0% Shave - removal 0 0% Exisional 6 75.00% Curettage 0 0% Curettage 0 0% Curettage 0 0% Flap 0 0% Graft - FTSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid NZ freeze/thaw 0 0% PDT 0 0% GP referral 0 0% Other 2 2.25% Breakdown of definitive manageme		•		
Specialist referral 0 0% Other 0 0% Biopsy used to exclude melanoma Punch - sample 2 25.00% Punch - sample 0 0% Incisional 0 0% Incisional 0 0% Punch - removal 0 0% Shave - removal 0 0% Curettage 0 0% Other 0 0% Other 0 0% Blipse 30 33.71% Flap 0 0% Graft - SSG 0 0% Graft - SSG 0 0% Graft - SSG 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Shave/Saucerisation 0 0% Imiquim N2 freeze/thaw 0 0% Other 2 2.5% Flucream 0 0 Other 2				
Other Dother Do				
Punch - sample 2 25.00% 5have - sample 0 0 0 0 0 0 0 0 0				
Punch - sample	Rionsy used to exclude me		v	0,70
Shave - sample 0 0% Incisional 0 0% Punch - removal 0 0% Shave - removal 0 0% Excisional 6 75.00% Curettage 0 0% Other 0 0% Breakdown of definitive management procedures for malignant conditions W Ellipse 30 33.71% Flap 0 0% Graft - STSG 0 0% No Closure 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% GP referral 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 1 2	biopsy used to exclude int		2	25 00%
Incisional 0 0% 0% 0% 0% 0% 0% 0%				
Punch - removal 0 0% Shave - removal 0 0% Excisional 6 75.00% Curettage 0 0% Other 0 0% Breakdown of definitive management procedures for malignant conditions 30 33.71% Flap 30 33.71% Flap 0 0% Graft - SSG 0 0% Mo Closure 0 0% No Closure 0 0% Curettage & Cautery 45 50.56% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 1 1 Ellipse 13.95% 1 1 Flap 1 2.33% 0 Graft - SSG <td></td> <td></td> <td></td> <td></td>				
Shave - removal 0 0% Excisional 6 75.00% Curettage 0 0% Other 0 0% Breakdown of definitive management procedures for malignant conditions U 0% Ellipse 30 33.71% Flap 0 0% Graft - SSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% GP referral 0 0% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 1 2.33% Flap 1 2.33% Graft - STG 0 0% Graft - FTSG 0 0% No Closure 0 0% No Closure 0 0% <td></td> <td></td> <td></td> <td></td>				
Excisional 75.00% Curettage 0 0% Other 0 0% Breakdown of definitive management procedures for malignant conditions Incompany of the procedures of the procedu				
Curettage Other 0 0% Other 0 0% Breakdown of definitive management procedures for malignant conditions 33.71% Ellipse 30 33.71% Flap 0 0% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Eliquid N2 freeze/thaw 0 0% PDT 0 0% FD cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 3 13.95% Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% <t< td=""><td></td><td></td><td></td><td></td></t<>				
Note				
Breakdown of definitive management procedures for malignant conditions		-		
Ellipse 30 33.71% Flap 0 0 0% 6% 67aft - 5SG 0 0% 0% 67aft - FTSG 0 0 0% 0% 0% 0% 0% 0%	Proakdown of dofinitive m		U	070
Flap 0 0 0 0 0 0 0 0 0	breakdown of definitive in		20	22 710/
Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 3 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% Liquid N2 freeze/thaw 0 0% GP referral 0 0% GP referral 0 0%		-		
Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% GP referral 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 5 12 13.95% Flap 1 2.33% 6 0% </td <td></td> <td>•</td> <td></td> <td></td>		•		
No Closure 0 0% Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% GP referral 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 5 12 13.95% Flap 1 2.33% 6 0% 0% Graft - SSG 0 0% <td></td> <td></td> <td></td> <td></td>				
Shave/Saucerisation 0 0% Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 5 12 13.48% Flap 1 2.33% 1 2.33% Flap 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 1 2.33% 2 2.25% 2 2.25% 2 2.25% 2 2.25% 2 2.25% 2 2.25% 2 2.25% 2				
Curettage & Cautery 45 50.56% Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 5 12 13.95% Flap 1 2.33% 6 13.95% Flap 1 2.33% 0 0% Graft - SSG 0 0 0% Mo Closure 0 0 0% No Closure 0 0% 0% Shave/Saucerisation 0 0% 0% Liquid N2 freeze/thaw 0 0% 0% GP referral 0 0% 0% GP referral 0 0% 0% GP referral 0 0 0% GP referral				
Liquid N2 freeze/thaw 0 0% PDT 0 0% Imiquimod 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions 3 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
PDT 0 0% Imiquimod 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2.25% 2.25% Breakdown of definitive management procedures for benign conditions 3 13.95% Flap 1 2.33% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%		-		
Imiquimod		•		
5 FU cream 0 0% GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions *** *** Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
GP referral 0 0% Specialist referral 12 13.48% Other 2 2.25% Breakdown of definitive management procedures for benign conditions Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
Specialist referral Other 12 13.48% (2.25%) Breakdown of definitive management procedures for benign conditions Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
Other 2 2.25% Breakdown of definitive management procedures for benign conditions Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
Breakdown of definitive management procedures for benign conditionsEllipse613.95%Flap12.33%Graft - SSG00%Graft - FTSG00%No Closure00%Shave/Saucerisation00%Liquid N2 freeze/thaw00%5 FU cream00%GP referral00%Specialist referral00%				
Ellipse 6 13.95% Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%			2	2.25%
Flap 1 2.33% Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%	Breakdown of definitive m			12.05%
Graft - SSG 0 0% Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%		-		
Graft - FTSG 0 0% No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%		·		
No Closure 0 0% Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
Shave/Saucerisation 0 0% Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
Liquid N2 freeze/thaw 0 0% 5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
5 FU cream 0 0% GP referral 0 0% Specialist referral 0 0%				
GP referral 0 0% Specialist referral 0 0%		·		
Specialist referral 0 0%				
Other 0 0%				
		Other	0	0%

Report for SCARD Pool

Procedures (continued)

Percentage of procedures/closures that were complex

Complex Closures	1.85% of 54
Complex Closures (inc Curettage & Cautery)	0.74% of 135

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	0	0% of 9
Lip	0	0% of 2
Ear	0	0% of 6
Eyelid	0	0% of 1
Other face	1	2.63% of 38
Scalp	1	12.50% of 8
Neck	0	0% of 5
Shoulder	2	40.00% of 5
Chest	0	40.00% of 3
Abdomen	•	
	0	0% of 2
Genitalia	0	0% of 0
Back	5	35.71% of 14
Buttock	0	0% of 0
Arm	1	50.00% of 2
Forearm	1	6.25% of 16
Hand Dorsal	0	0% of 5
Hand Palmar	0	0% of 0
Finger Dorsal	0	0% of 1
Finger Nail	0	0% of 0
Finger Palmar	0	0% of 0
Thigh	0	0% of 2
Leg	0	0% of 11
Foot Dorsal	0	0% of 1
Foot Plantar	0	0% of 0
Toe Dorsal	0	0% of 0
Toe Nail	0	0% of 0
Toe Plantar	0	0% of 0
Palm Or Sole	0	0% of 0

