


SCARD Pool report for 01-01-2017 to 31-12-2017

Participants	Doctors	423	
	Patients	61,384	
Specimens	New lesions	113,373	84.49%
	Previously biopsied lesions	20,814	15.51%
	Total lesions	134,187	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	61.68%
Percentage of Definitively excised lesions that were malignant	79.48%
Lesions tested to find one melanoma (NNT)	4.46
Percentage of lesions tested for NMSC which were NMSC	75.94%
Ratio of New BCCs : New Melanomas	10:1

Accuracy

Diagnostic sensitivity

Melanomas	71.83% of 3,678
All NMSC	95.57% of 64,687
BCCs	91.37% of 35,187
SCCs	81.46% of 29,099

Positive predictive value

Melanomas	43.24% of 6,110
All NMSC	81.53% of 75,823
BCCs	42.40% of 75,823
SCCs	63.53% of 37,310

Adequacy


Percentage of definitively managed malignant cases where surgical margins were adequate

BCC	85.82% of 24,269
IEC/Bowens disease	82.08% of 7,187
SCC	87.34% of 8,893
Keratoacanthoma	92.85% of 1,077
Melanoma - in situ	73.18% of 2,576
Melanoma - invasive	72.13% of 635
Melanoma - invasive > 1mm	36.96% of 92
Other malignant	63.11% of 103



Lesion Breakdown Histological Diagnosis

BCC (unspecified type)	2	0.00%
BCC - Superficial	11,272	9.92%
BCC - Nodular/Solid	18,368	16.17%
BCC - Aggressive	5,545	4.88%
IEC/Bowens disease	15,295	13.46%
SCC	12,239	10.77%
Keratoacanthoma	1,565	1.38%
Pinkus Fibroepithelioma	15	0.01%
Merkel cell tumour	8	0.01%
Other malignant	163	0.14%
NMSC Metastasis	3	0.00%
Melanoma - in situ	2,709	2.38%
Melanoma - invasive	754	0.66%
Melanoma - invasive > 1mm	189	0.17%
Melanoma - metastasis	26	0.02%
MELTUMP	212	0.19%
Naevus - other	6,463	5.69%
Naevus - dysplastic/Clark	3,837	3.38%
Naevus - blue	416	0.37%
Naevus - Spitz/Reed	119	0.10%
Naevus - Compound	6	0.01%
Solar keratosis	11,077	9.75%
Solar lentigo	1,480	1.30%
Seborrhoeic keratosis	5,695	5.01%
Lentigo Simplex	1	0.00%
Lichenoid keratosis (LPLK)	2,337	2.06%
Dermatofibroma	847	0.75%
Sebaceous gland hyperplasia	256	0.23%
Benign cyst	1,783	1.57%
Other benign	7,792	6.86%
Histology Pending	233	0.21%





Procedures

Definitive St	urgical Manac	ement used to	exclude melanoma
	a. g. caaa.	,	CACIMAC IIICIAIICI

Definitive Surgical Managem	ent used to exclude melanoma			
	Ellipse	2,906	80.32%	
	Flap	80	2.21%	
	Graft - SSG	4	0.11%	
	Graft - FTSG	10	0.28%	
	No Closure	7	0.19%	
	Shave/Saucerisation	141	3.90%	
	Curettage & Cautery	15	0.41%	
	Liquid N2 freeze/thaw	0	0%	
	PDT	0	0%	
	Imiquimod	1	0.03%	
	5 FU cream	1	0.03%	
	GP referral	299	8.26%	
	Specialist referral	62	1.71%	
	Other	86	2.38%	
Biopsy used to exclude mela	noma			
	Punch - sample	822	6.24%	
	Shave - sample	1,599	12.14%	
	Incisional	168	1.28%	
	Punch - removal	2,703	20.52%	
	Shave - removal	3,431	26.05%	
	Excisional	4,432	33.64%	
	Curettage	9	0.07%	
	Other	8	0.06%	
Breakdown of definitive man	agement procedures for malignant conditions			
	Ellipse	38,633	63.69%	
	Flap	5,379	8.87%	
	Graft - SSG	329	0.54%	
	Graft - FTSG	1,288	2.12%	
	No Closure	365	0.60%	
	Shave/Saucerisation	1,176	1.94%	
	Curettage & Cautery	6,304	10.39%	
	Liquid N2 freeze/thaw	862	1.42%	
	PDT	148	0.24%	
	Imiquimod	624	1.03%	
	5 FU cream	1,279	2.11%	
	GP referral	1,904	3.14%	
	Specialist referral	1,542	2.54%	
	Other	291	0.48%	
Breakdown of definitive management procedures for benign conditions				
	Ellipse	5,553	73.19%	
	Flap	102	1.34%	
	Graft - SSG	3	0.04%	
	Graft - FTSG	14	0.18%	
	No Closure	20	0.26%	
	Shave/Saucerisation	604	7.96%	
	Liquid N2 freeze/thaw	199	2.62%	
	5 FU cream	68	0.90%	
	GP referral	243	3.20%	
	Specialist referral	51	0.67%	
	Other	202	2.66%	



Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	10.93% of 54,302
Complex Closures (inc Curettage & Cautery)	9.94% of 59,685

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	44	0.65% of 6,773
Lip	5	0.28% of 1,771
Ear	80	1.70% of 4,707
Eyelid	9	0.82% of 1,097
Other face	367	1.90% of 19,290
Scalp	88	2.16% of 4,068
Neck	127	2.22% of 5,718
Shoulder	271	4.86% of 5,578
Chest	190	2.75% of 6,920
Abdomen	85	6.04% of 1,407
Genitalia	4	2.61% of 153
Back	1200	7.39% of 16,249
Buttock	9	3.56% of 253
Arm	397	5.82% of 6,826
Forearm	226	2.62% of 8,633
Hand Dorsal	10	0.23% of 4,352
Hand Palmar	2	4.76% of 42
Finger Dorsal	4	0.52% of 775
Finger Nail	0	0% of 16
Finger Palmar	0	0% of 20
Thigh	181	5.27% of 3,437
Leg	353	2.52% of 14,027
Foot Dorsal	15	1.58% of 949
Foot Plantar	8	6.15% of 130
Toe Dorsal	1	0.75% of 134
Toe Nail	1	4.00% of 25
Toe Plantar	1	4.35% of 23
Palm Or Sole	0	0% of 0



Upper Limbs - 17.37%