


SCARD Pool report for 01-01-2017 to 31-12-2017

Participants	Doctors	424	
	Patients	61,385	
Specimens	New lesions	113,374	84.49%
	Previously biopsied lesions	20,814	15.51%
	Total lesions	134,188	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	61.68%
Percentage of Definitively excised lesions that were malignant	79.48%
Lesions tested to find one melanoma (NNT)	4.46
Percentage of lesions tested for NMSC which were NMSC	75.94%
Ratio of New BCCs : New Melanomas	10:1

Accuracy

Diagnostic sensitivity

Melanomas	71.83% of 3,678
All NMSC	95.57% of 64,688
BCCs	91.37% of 35,187
SCCs	81.46% of 29,100

Positive predictive value

Melanomas	43.24% of 6,110
All NMSC	81.53% of 75,824
BCCs	42.40% of 75,824
SCCs	63.53% of 37,311

Adequacy


Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	85.82% of 24,270
IEC/Bowens disease	82.08% of 7,187
SCC	87.34% of 8,893
Keratoacanthoma	92.86% of 1,078
Melanoma - in situ	73.18% of 2,576
Melanoma - invasive	72.13% of 635
Melanoma - invasive > 1mm	36.96% of 92
Other malignant	63.11% of 103



Lesion Breakdown Histological Diagnosis

2	0.00%
11,272	9.92%
18,368	16.17%
5,545	4.88%
15,295	13.46%
12,239	10.77%
1,566	1.38%
15	0.01%
8	0.01%
163	0.14%
3	0.00%
2,709	2.38%
754	0.66%
189	0.17%
26	0.02%
212	0.19%
6,463	5.69%
3,837	3.38%
416	0.37%
119	0.10%
6	0.01%
11,077	9.75%
1,480	1.30%
5,695	5.01%
1	0.00%
2,337	2.06%
847	0.75%
256	0.23%
1,783	1.57%
7,792	6.86%
233	0.21%
	11,272 18,368 5,545 15,295 12,239 1,566 15 8 163 3 2,709 754 189 26 212 6,463 3,837 416 119 6 11,077 1,480 5,695 1 2,337 847 256 1,783 7,792







Procedures

Definitive Surgical Managemen	it used to exclude melanoma
--------------------------------------	-----------------------------

Definitive Surgical Man	agement used to exclude melanoma		
	Ellipse	2,906	80.32%
	Flap	80	2.21%
	Graft - SSG	4	0.11%
	Graft - FTSG	10	0.28%
	No Closure	7	0.19%
	Shave/Saucerisation	141	3.90%
	Curettage & Cautery	15	0.41%
	Liquid N2 freeze/thaw	0	0%
	PDT	0	0%
	Imiquimod	1	0.03%
	5 FU cream	1	0.03%
	GP referral	299	8.26%
	Specialist referral	62	1.71%
	Other	86	2.38%
Biopsy used to exclude	melanoma		
	Punch - sample	822	6.24%
	Shave - sample	1,599	12.14%
	Incisional	168	1.28%
	Punch - removal	2,703	20.52%
	Shave - removal	3,431	26.05%
	Excisional	4,432	33.64%
	Curettage	9	0.07%
	Other	8	0.06%
Breakdown of definitive	e management procedures for malignant con	ditions	
	Ellipse	38,634	63.69%
	Flap	5,379	8.87%
	Graft - SSG	329	0.54%
	Graft - FTSG	1,288	2.12%
	No Closure	365	0.60%
	Shave/Saucerisation	1,176	1.94%
	Curettage & Cautery	6,304	10.39%
	Liquid N2 freeze/thaw	862	1.42%
	PDT	148	0.24%
	Imiquimod	624	1.03%
	5 FU cream	1,279	2.11%
	GP referral	1,904	3.14%
	Specialist referral	1,542	2.54%
	Other	291	0.48%
Breakdown of definitive	e management procedures for benign condition	ons	
	Ellipse	5,553	73.19%
	Flap	102	1.34%
	Graft - SSG	3	0.04%
	Graft - FTSG	14	0.18%
	No Closure	20	0.26%
	Shave/Saucerisation	604	7.96%

2.62%

0.90%

3.20%

0.67%

2.66%

199

68

243

51

202

Liquid N2 freeze/thaw

Specialist referral

5 FU cream

GP referral

Other



Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	1.26% of 9,448
Complex Closures (inc Curettage & Cautery)	1.20% of 9,940

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	44	0.65% of 6,773
Lip	5	0.28% of 1,771
Ear	80	1.70% of 4,707
Eyelid	9	0.82% of 1,097
Other face	367	1.90% of 19,291
Scalp	88	2.16% of 4,068
Neck	127	2.22% of 5,718
Shoulder	271	4.86% of 5,578
Chest	190	2.75% of 6,920
Abdomen	85	6.04% of 1,407
Genitalia	4	2.61% of 153
Back	1200	7.39% of 16,249
Buttock	9	3.56% of 253
Arm	397	5.82% of 6,826
Forearm	226	2.62% of 8,633
Hand Dorsal	10	0.23% of 4,352
Hand Palmar	2	4.76% of 42
Finger Dorsal	4	0.52% of 775
Finger Nail	0	0% of 16
Finger Palmar	0	0% of 20
Thigh	181	5.27% of 3,437
Leg	353	2.52% of 14,027
Foot Dorsal	15	1.58% of 949
Foot Plantar	8	6.15% of 130
Toe Dorsal	1	0.75% of 134
Toe Nail	1	4.00% of 25
Toe Plantar	1	4.35% of 23
Palm Or Sole	0	0% of 0



Upper Limbs - 17.37%