


SCARD Pool report for 01-01-2019 to 31-12-2019

Participants	Doctors Patients	435 57,182	
Specimens	New lesions	104,518	84.66%
	Previously biopsied lesions	18,937	15.34%
	Total lesions	123,455	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	62.17%
Percentage of Definitively excised lesions that were malignant	80.65%
Lesions tested to find one melanoma (NNT)	4.06
Percentage of lesions tested for NMSC which were NMSC	79.46%
Ratio of New BCCs : New Melanomas	8:1

Accuracy

Diagnostic sensitivity

Melanomas	76.05% of 3,841
All NMSC	95.58% of 59,571
BCCs	91.37% of 32,636
SCCs	82.58% of 26,561

Positive predictive value

Melanomas	44.83% of 6,516
All NMSC	85.50% of 66,594
BCCs	44.78% of 66,594
SCCs	65.48% of 33,497

Adequacy


Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	86.87% of 22,637
IEC/Bowens disease	74.66% of 6,290
SCC	86.18% of 7,774
Keratoacanthoma	87.35% of 980
Melanoma - in situ	75.38% of 2,640
Melanoma - invasive	69.14% of 619
Melanoma - invasive > 1mm	47.66% of 107
Other malignant	63.64% of 99



Lesion Breakdown Histological Diagnosis

228	0.22%
9,769	9.34%
17,967	17.17%
4,672	4.47%
14,279	13.65%
10,878	10.40%
1,404	1.34%
10	0.01%
14	0.01%
166	0.16%
3	0.00%
2,792	2.67%
789	0.75%
216	0.21%
44	0.04%
181	0.17%
6,084	5.81%
3,321	3.17%
444	0.42%
128	0.12%
1	0.00%
9,651	9.22%
1,381	1.32%
5,196	4.97%
2	0.00%
1,993	1.90%
751	0.72%
245	0.23%
1,805	1.73%
7,269	6.95%
118	0.11%
	9,769 17,967 4,672 14,279 10,878 1,404 10 14 166 3 2,792 789 216 44 181 6,084 3,321 444 128 1 9,651 1,381 5,196 2 1,993 751 245 1,805 7,269







Procedures

Delinitive Surgical Manager	ment used to exclude melanoma		
	Ellipse	2,828	85.62%
	Flap	60	1.82%
	Graft - SSG	3	0.09%
	Graft - FTSG	6	0.18%
	No Closure	14	0.42%
	Shave/Saucerisation	85	2.57%
	Curettage & Cautery	28	0.85%
	Liquid N2 freeze/thaw	0	0%
	PDT	0	0%
	Imiquimod	0	0%
	5 FU cream	0	0%
	GP referral	231	6.99%
	Specialist referral	36	1.09%
	Other	6	0.18%
Biopsy used to exclude mel	anoma		
	Punch - sample	891	7.00%
	Shave - sample	1,204	9.45%
	Incisional	285	2.24%
	Punch - removal	2,679	21.03%
	Shave - removal	2,641	20.73%
	Excisional	4,991	39.19%
	Curettage	14	0.11%
	Other	25	0.20%
Breakdown of definitive ma	nagement procedures for malignant conditions		
	Ellipse	34,350	63.11%
	Flap	4,880	8.97%
	Graft - SSG	341	0.63%
	Graft - FTSG	1,227	2.25%
	No Closure	233	0.43%
	Shave/Saucerisation	929	1.71%
	Curettage & Cautery	6,261	11.50%
	Liquid N2 freeze/thaw	734	1.35%
	PDT	110	0.20%
	Imiquimod	546	1.00%
	5 FU cream	1,292	2.37%
	GP referral	1,277	2.35%
	Specialist referral	1,484	2.73%
	Other	227	0.42%
Breakdown of definitive ma	nagement procedures for benign conditions		
	Ellipse	5,033	73.81%
	Flap	74	1.09%
	Graft - SSG	4	0.06%
	Graft - FTSG	15	0.22%
	No Closure	45	0.66%
	Shave/Saucerisation	501	7.35%
		501	7.5570

4.08%

1.58%

1.63%

0.51%

1.44%

278

108

111

35

98

Liquid N2 freeze/thaw

5 FU cream

GP referral

Other

Specialist referral



Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	10.78% of 64,664
Complex Closures (inc Curettage & Cautery)	9.76% of 71,430

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

,		
Nose	28	0.47% of 6,007
Lip	3	0.17% of 1,739
Ear	94	2.13% of 4,415
Eyelid	4	0.40% of 1,012
Other face	367	2.12% of 17,309
Scalp	85	2.16% of 3,935
Neck	170	3.14% of 5,409
Shoulder	261	5.31% of 4,917
Chest	215	3.45% of 6,230
Abdomen	90	6.50% of 1,384
Genitalia	1	0.74% of 135
Back	1198	8.01% of 14,959
Buttock	15	5.86% of 256
Arm	414	6.52% of 6,350
Forearm	232	2.82% of 8,213
Hand Dorsal	11	0.25% of 4,441
Hand Palmar	0	0% of 39
Finger Dorsal	1	0.11% of 901
Finger Nail	2	12.50% of 16
Finger Palmar	0	0% of 21
Thigh	202	6.31% of 3,200
Leg	407	3.28% of 12,407
Foot Dorsal	32	3.53% of 906
Foot Plantar	2	1.96% of 102
Toe Dorsal	6	4.41% of 136
Toe Nail	1	5.88% of 17
Toe Plantar	0	0% of 14
Palm Or Sole	0	0% of 0



Upper Limbs - 17.18%