


SCARD Pool report for 01-01-2019 to 31-12-2019

| Participants | Doctors | 437 | |
|---------------------|-----------------------------|---------|---------|
| | Patients | 57,223 | |
| Specimens | New lesions | 104,609 | 84.66% |
| • | Previously biopsied lesions | 18,950 | 15.34% |
| | Total lesions | 123,559 | 100.00% |

Breakdown of new versus previously biopsied specimens



| Percentage of new lesions tested which were malignant | 62.18% |
|--|--------|
| Percentage of Definitively excised lesions that were malignant | 80.65% |
| Lesions tested to find one melanoma (NNT) | 4.05 |
| Percentage of lesions tested for NMSC which were NMSC | 79.45% |
| Ratio of New BCCs : New Melanomas | 8:1 |

Accuracy

Diagnostic sensitivity

| Melanomas | 76.05% of 3,845 |
|-----------|------------------|
| All NMSC | 95.58% of 59,635 |
| BCCs | 91.37% of 32,674 |
| SCCs | 82.58% of 26,587 |
| | |

Positive predictive value

| Melanomas | 44.86% of 6,518 |
|-----------|------------------|
| All NMSC | 85.49% of 66,670 |
| BCCs | 44.78% of 66,670 |
| SCCs | 65.49% of 33,526 |

Adequacy


Percentage of definitively managed malignant cases where surgical margins were adequate


| BCC | 86.85% of 22,662 |
|---------------------------|------------------|
| IEC/Bowens disease | 74.65% of 6,293 |
| SCC | 86.17% of 7,785 |
| Keratoacanthoma | 87.20% of 984 |
| Melanoma - in situ | 75.34% of 2,644 |
| Melanoma - invasive | 69.14% of 619 |
| Melanoma - invasive > 1mm | 47.66% of 107 |
| Other malignant | 63.64% of 99 |



Lesion Breakdown Histological Diagnosis

| BCC (unspecified type) | 228 | 0.22% |
|-----------------------------|--------|--------|
| BCC - Superficial | 9,787 | 9.35% |
| BCC - Nodular/Solid | 17,987 | 17.18% |
| BCC - Aggressive | 4,672 | 4.46% |
| IEC/Bowens disease | 14,288 | 13.64% |
| | | |
| SCC Korataa aantha maa | 10,889 | 10.40% |
| Keratoacanthoma | 1,410 | 1.35% |
| Pinkus Fibroepithelioma | 10 | 0.01% |
| Merkel cell tumour | 14 | 0.01% |
| Other malignant | 166 | 0.16% |
| NMSC Metastasis | 3 | 0.00% |
| Melanoma - in situ | 2,795 | 2.67% |
| Melanoma - invasive | 790 | 0.75% |
| Melanoma - invasive > 1mm | 216 | 0.21% |
| Melanoma - metastasis | 44 | 0.04% |
| MELTUMP | 181 | 0.17% |
| Naevus - other | 6,084 | 5.81% |
| Naevus - dysplastic/Clark | 3,321 | 3.17% |
| Naevus - blue | 445 | 0.42% |
| Naevus - Spitz/Reed | 128 | 0.12% |
| Naevus - Compound | 1 | 0.00% |
| Solar keratosis | 9,659 | 9.22% |
| Solar lentigo | 1,383 | 1.32% |
| Seborrhoeic keratosis | 5,202 | 4.97% |
| Lentigo Simplex | 2 | 0.00% |
| Lichenoid keratosis (LPLK) | 1,994 | 1.90% |
| Dermatofibroma | 751 | 0.72% |
| Sebaceous gland hyperplasia | 245 | 0.23% |
| Benign cyst | 1,808 | 1.73% |
| Other benign | 7,277 | 6.95% |
| Histology Pending | 118 | 0.11% |
| g | 110 | 0.11/0 |







Procedures

| _ | | | |
|-----|-----------------------|-------|--------|
| | Ellipse | 2,828 | 85.62% |
| | Flap | 60 | 1.82% |
| | Graft - SSG | 3 | 0.09% |
| | Graft - FTSG | 6 | 0.18% |
| | No Closure | 14 | 0.42% |
| | Shave/Saucerisation | 85 | 2.57% |
| | Curettage & Cautery | 28 | 0.85% |
| | Liquid N2 freeze/thaw | 0 | 0% |
| | PDT | 0 | 0% |
| | Imiquimod | 0 | 0% |
| | 5 FU cream | 0 | 0% |
| | GP referral | 231 | 6.99% |
| | Specialist referral | 36 | 1.09% |
| | Other | 6 | 0.18% |
| mel | lanoma | | |
| | Punch - sample | 891 | 6.99% |
| | Chave cample | 1 204 | 0.450/ |

Biopsy used to exclude

| Punch - sample | 891 | 6.99% |
|-----------------|-------|--------|
| Shave - sample | 1,204 | 9.45% |
| Incisional | 285 | 2.24% |
| Punch - removal | 2,680 | 21.04% |
| Shave - removal | 2,641 | 20.73% |
| Excisional | 4,991 | 39.18% |
| Curettage | 14 | 0.11% |
| Other | 25 | 0.20% |

Breakdown of definitive management procedures for malignant conditions

| Ellipse | 34,390 | 63.12% |
|-----------------------|--------|--------|
| Flap | 4,882 | 8.96% |
| Graft - SSG | 341 | 0.63% |
| Graft - FTSG | 1,228 | 2.25% |
| No Closure | 233 | 0.43% |
| Shave/Saucerisation | 929 | 1.71% |
| Curettage & Cautery | 6,262 | 11.49% |
| Liquid N2 freeze/thaw | 734 | 1.35% |
| PDT | 110 | 0.20% |
| Imiquimod | 548 | 1.01% |
| 5 FU cream | 1,293 | 2.37% |
| GP referral | 1,277 | 2.34% |
| Specialist referral | 1,485 | 2.73% |
| Other | 235 | 0.43% |
| | | |

Breakdown of definitive management procedures for benign conditions

| nagement procedures for benign conditions | | |
|---|-------|--------|
| Ellipse | 5,034 | 73.77% |
| Flap | 74 | 1.08% |
| Graft - SSG | 4 | 0.06% |
| Graft - FTSG | 15 | 0.22% |
| No Closure | 45 | 0.66% |
| Shave/Saucerisation | 504 | 7.39% |
| Liquid N2 freeze/thaw | 278 | 4.07% |
| 5 FU cream | 108 | 1.58% |
| GP referral | 111 | 1.63% |
| Specialist referral | 35 | 0.51% |
| Other | 99 | 1.45% |



Procedures (continued)


Percentage of procedures/closures that were complex

| Complex Closures | 10.45% of 55,371 |
|--|------------------|
| Complex Closures (inc Curettage & Cautery) | 9.47% of 61,064 |

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

| Nose | 28 | 0.47% of 6,017 |
|---------------|------|-----------------|
| Lip | 3 | 0.17% of 1,739 |
| Ear | 94 | 2.13% of 4,419 |
| Eyelid | 4 | 0.39% of 1,014 |
| Other face | 368 | 2.13% of 17,316 |
| Scalp | 86 | 2.18% of 3,937 |
| Neck | 170 | 3.14% of 5,414 |
| Shoulder | 262 | 5.32% of 4,921 |
| Chest | 215 | 3.45% of 6,238 |
| Abdomen | 90 | 6.50% of 1,384 |
| Genitalia | 1 | 0.74% of 135 |
| Back | 1199 | 8.01% of 14,975 |
| Buttock | 15 | 5.86% of 256 |
| Arm | 414 | 6.51% of 6,357 |
| Forearm | 232 | 2.82% of 8,220 |
| Hand Dorsal | 11 | 0.25% of 4,442 |
| Hand Palmar | 0 | 0% of 39 |
| Finger Dorsal | 1 | 0.11% of 901 |
| Finger Nail | 2 | 12.50% of 16 |
| Finger Palmar | 0 | 0% of 21 |
| Thigh | 202 | 6.31% of 3,203 |
| Leg | 407 | 3.28% of 12,421 |
| Foot Dorsal | 32 | 3.53% of 906 |
| Foot Plantar | 2 | 1.96% of 102 |
| Toe Dorsal | 6 | 4.38% of 137 |
| Toe Nail | 1 | 5.88% of 17 |
| Toe Plantar | 0 | 0% of 14 |
| Palm Or Sole | 0 | 0% of 0 |



Upper Limbs - 17.17%