
SCARD Pool report for 01-01-2021 to 31-12-2021

Participants	Doctors	328	
	Patients	66,608	
Specimens	New lesions	123,366	84.52%
	Previously biopsied lesions	22,600	15.48%
	Total lesions	145,966	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	63.78%
Percentage of Definitively excised lesions that were malignant	81.25%
Lesions tested to find one melanoma (NNT)	3.74
Percentage of lesions tested for NMSC which were NMSC	78.55%
Ratio of New BCCs : New Melanomas	9:1

Accuracy

Diagnostic sensitivity

Melanomas	76.65% of 4,390
All NMSC	96.03% of 71,435
BCCs	91.77% of 38,314
SCCs	82.55% of 32,806

Positive predictive value

Melanomas	44.18% of 7,617
All NMSC	84.64% of 81,050
BCCs	43.38% of 81,050
SCCs	67.82% of 39,927

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	88.13% of 26,186
IEC/Bowens disease	80.84% of 8,908
SCC	86.62% of 9,112
Keratoacanthoma	90.63% of 1,089
Melanoma - in situ	76.64% of 2,962
Melanoma - invasive	70.43% of 673
Melanoma - invasive > 1mm	41.67% of 108
Other malignant	69.77% of 129

© 2026 SCARD Systems Pty Ltd

Lesion Breakdown

Histological Diagnosis

BCC (unspecified type)	80	0.06%
BCC - Superficial	11,714	9.48%
BCC - Nodular/Solid	21,966	17.78%
BCC - Aggressive	4,554	3.69%
IEC/Bowens disease	18,485	14.96%
SCC	12,769	10.34%
Keratoacanthoma	1,552	1.26%
Pinkus Fibroepithelioma	19	0.02%
Merkel cell tumour	17	0.01%
Other malignant	179	0.14%
NMSC Metastasis	5	0.00%
Melanoma - in situ	3,263	2.64%
Melanoma - invasive	852	0.69%
Melanoma - invasive > 1mm	240	0.19%
Melanoma - metastasis	35	0.03%
MELTUMP	95	0.08%
Naevus - other	7,376	5.97%
Naevus - dysplastic/Clark	3,628	2.94%
Naevus - blue	447	0.36%
Naevus - Spitz/Reed	172	0.14%
Naevus - Compound	63	0.05%
Solar keratosis	10,551	8.54%
Solar lentigo	1,499	1.21%
Seborrhoeic keratosis	5,799	4.69%
Lentigo Simplex	2	0.00%
Lichenoid keratosis (LPLK)	2,139	1.73%
Dermatofibroma	895	0.72%
Sebaceous gland hyperplasia	277	0.22%
Benign cyst	2,024	1.64%
Other benign	8,005	6.48%
Histology Pending	168	0.14%



© 2026 SCARD Systems Pty Ltd

Procedures

Definitive Surgical Management used to exclude melanoma

Ellipse	3,410	86.77%
Flap	51	1.30%
Graft - SSG	0	0%
Graft - FTSG	8	0.20%
No Closure	9	0.23%
Shave/Saucerisation	39	0.99%
Curettage & Cautery	38	0.97%
Liquid N2 freeze/thaw	2	0.05%
PDT	0	0%
Imiquimod	0	0%
5 FU cream	0	0%
GP referral	232	5.90%
Specialist referral	126	3.21%
Other	3	0.08%

Biopsy used to exclude melanoma

Punch - sample	707	5.35%
Shave - sample	1,616	12.23%
Incisional	234	1.77%
Punch - removal	2,621	19.84%
Shave - removal	2,554	19.33%
Excisional	5,396	40.85%
Curettage	20	0.15%
Other	58	0.44%

Breakdown of definitive management procedures for malignant conditions

Ellipse	42,039	63.50%
Flap	5,484	8.28%
Graft - SSG	290	0.44%
Graft - FTSG	1,563	2.36%
No Closure	255	0.39%
Shave/Saucerisation	1,047	1.58%
Curettage & Cautery	8,543	12.90%
Liquid N2 freeze/thaw	574	0.87%
PDT	105	0.16%
Imiquimod	538	0.81%
5 FU cream	1,319	1.99%
GP referral	1,342	2.03%
Specialist referral	2,274	3.43%
Other	175	0.26%

Breakdown of definitive management procedures for benign conditions

Ellipse	5,759	78.02%
Flap	81	1.10%
Graft - SSG	5	0.07%
Graft - FTSG	14	0.19%
No Closure	32	0.43%
Shave/Saucerisation	303	4.11%
Liquid N2 freeze/thaw	107	1.45%
5 FU cream	107	1.45%
GP referral	120	1.63%
Specialist referral	58	0.79%
Other	107	1.45%

© 2026 SCARD Systems Pty Ltd

Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	0.95% of 10,516
Complex Closures (inc Curettage & Cautery)	0.90% of 11,171

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	46	0.62% of 7,445
Lip	5	0.27% of 1,865
Ear	101	1.80% of 5,612
Eyelid	15	1.28% of 1,173
Other face	420	2.01% of 20,936
Scalp	118	2.27% of 5,201
Neck	201	3.15% of 6,377
Shoulder	324	5.71% of 5,674
Chest	214	2.98% of 7,185
Abdomen	98	6.22% of 1,576
Genitalia	2	0.95% of 210
Back	1382	7.92% of 17,458
Buttock	15	5.62% of 267
Arm	468	6.35% of 7,365
Forearm	278	3.11% of 8,948
Hand Dorsal	8	0.17% of 4,738
Hand Palmar	0	0% of 31
Finger Dorsal	3	0.38% of 798
Finger Nail	0	0% of 18
Finger Palmar	0	0% of 11
Thigh	180	4.87% of 3,697
Leg	464	3.10% of 14,951
Foot Dorsal	36	3.15% of 1,144
Foot Plantar	3	2.86% of 105
Toe Dorsal	4	1.95% of 205
Toe Nail	0	0% of 15
Toe Plantar	1	9.09% of 11
Palm Or Sole	0	0% of 0



© 2026 SCARD Systems Pty Ltd