
SCARD Pool report for 01-01-2022 to 31-12-2022

Participants	Doctors	375	
	Patients	62,988	
Specimens	New lesions	111,959	85.62%
	Previously biopsied lesions	18,806	14.38%
	Total lesions	130,765	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	65.22%
Percentage of Definitively excised lesions that were malignant	82.62%
Lesions tested to find one melanoma (NNT)	3.50
Percentage of lesions tested for NMSC which were NMSC	81.53%
Ratio of New BCCs : New Melanomas	8:1

Accuracy

Diagnostic sensitivity

Melanomas	78.17% of 4,339
All NMSC	95.64% of 64,478
BCCs	91.51% of 34,531
SCCs	81.37% of 29,587

Positive predictive value

Melanomas	45.95% of 7,382
All NMSC	87.40% of 70,561
BCCs	44.79% of 70,561
SCCs	69.07% of 34,855

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	88.15% of 23,327
IEC/Bowens disease	85.34% of 6,758
SCC	84.13% of 8,760
Keratoacanthoma	91.10% of 1,068
Melanoma - in situ	74.38% of 2,674
Melanoma - invasive	75.93% of 777
Melanoma - invasive > 1mm	36.36% of 88
Other malignant	62.61% of 115

© 2026 SCARD Systems Pty Ltd

Lesion Breakdown

Histological Diagnosis

BCC (unspecified type)	192	0.17%
BCC - Superficial	10,195	9.10%
BCC - Nodular/Solid	20,207	18.03%
BCC - Aggressive	3,937	3.51%
IEC/Bowens disease	15,531	13.86%
SCC	12,604	11.24%
Keratoacanthoma	1,452	1.30%
Pinkus Fibroepithelioma	19	0.02%
Merkel cell tumour	15	0.01%
Other malignant	170	0.15%
NMSC Metastasis	12	0.01%
Melanoma - in situ	3,080	2.75%
Melanoma - invasive	994	0.89%
Melanoma - invasive > 1mm	239	0.21%
Melanoma - metastasis	26	0.02%
MELTUMP	144	0.13%
Naevus - other	5,568	4.97%
Naevus - dysplastic/Clark	3,080	2.75%
Naevus - blue	434	0.39%
Naevus - Spitz/Reed	100	0.09%
Naevus - Compound	815	0.73%
Solar keratosis	8,524	7.60%
Solar lentigo	1,376	1.23%
Seborrhoeic keratosis	5,120	4.57%
Lentigo Simplex	6	0.01%
Lichenoid keratosis (LPLK)	1,773	1.58%
Dermatofibroma	770	0.69%
Sebaceous gland hyperplasia	215	0.19%
Benign cyst	1,628	1.45%
Other benign	7,042	6.28%
Histology Pending	129	0.12%



© 2026 SCARD Systems Pty Ltd

Procedures

Definitive Surgical Management used to exclude melanoma			
	Ellipse	3,158	85.24%
	Flap	35	0.94%
	Graft - SSG	6	0.16%
	Graft - FTSG	9	0.24%
	No Closure	1	0.03%
	Shave/Saucerisation	25	0.67%
	Curettage & Cautery	32	0.86%
	Liquid N2 freeze/thaw	3	0.08%
	PDT	0	0%
	Imiquimod	1	0.03%
	5 FU cream	2	0.05%
	GP referral	278	7.50%
	Specialist referral	135	3.64%
	Other	15	0.40%
Biopsy used to exclude melanoma			
	Punch - sample	687	5.50%
	Shave - sample	971	7.77%
	Incisional	288	2.31%
	Punch - removal	2,377	19.03%
	Shave - removal	2,675	21.42%
	Excisional	5,470	43.80%
	Curettage	7	0.06%
	Other	11	0.09%
Breakdown of definitive management procedures for malignant conditions			
	Ellipse	37,397	63.57%
	Flap	4,565	7.76%
	Graft - SSG	295	0.50%
	Graft - FTSG	1,508	2.56%
	No Closure	202	0.34%
	Shave/Saucerisation	992	1.69%
	Curettage & Cautery	8,220	13.97%
	Liquid N2 freeze/thaw	489	0.83%
	PDT	50	0.08%
	Imiquimod	473	0.80%
	5 FU cream	968	1.65%
	GP referral	1,240	2.11%
	Specialist referral	1,659	2.82%
	Other	169	0.29%
Breakdown of definitive management procedures for benign conditions			
	Ellipse	4,697	77.61%
	Flap	58	0.96%
	Graft - SSG	3	0.05%
	Graft - FTSG	8	0.13%
	No Closure	10	0.17%
	Shave/Saucerisation	251	4.15%
	Liquid N2 freeze/thaw	95	1.57%
	5 FU cream	68	1.12%
	GP referral	101	1.67%
	Specialist referral	32	0.53%
	Other	126	2.08%

© 2026 SCARD Systems Pty Ltd

Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	0.78% of 8,855
Complex Closures (inc Curettage & Cautery)	0.73% of 9,422

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	52	0.80% of 6,510
Lip	3	0.17% of 1,791
Ear	85	1.67% of 5,100
Eyelid	3	0.28% of 1,070
Other face	400	2.15% of 18,626
Scalp	116	2.38% of 4,864
Neck	196	3.31% of 5,927
Shoulder	299	5.68% of 5,265
Chest	222	3.34% of 6,637
Abdomen	118	8.35% of 1,414
Genitalia	2	1.43% of 140
Back	1415	8.65% of 16,355
Buttock	13	4.71% of 276
Arm	458	7.04% of 6,508
Forearm	269	3.39% of 7,929
Hand Dorsal	11	0.27% of 4,126
Hand Palmar	1	3.23% of 31
Finger Dorsal	0	0% of 680
Finger Nail	1	5.26% of 19
Finger Palmar	0	0% of 21
Thigh	192	5.76% of 3,331
Leg	437	3.18% of 13,725
Foot Dorsal	34	3.34% of 1,017
Foot Plantar	4	4.12% of 97
Toe Dorsal	6	3.92% of 153
Toe Nail	0	0% of 16
Toe Plantar	0	0% of 18
Palm Or Sole	0	0% of 0



© 2026 SCARD Systems Pty Ltd