
SCARD Pool report for 01-01-2023 to 31-12-2023

Participants	Doctors	447	
	Patients	83,740	
Specimens	New lesions	146,219	82.58%
	Previously biopsied lesions	30,844	17.42%
	Total lesions	177,063	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	62.24%
Percentage of Definitively excised lesions that were malignant	79.75%
Lesions tested to find one melanoma (NNT)	3.80
Percentage of lesions tested for NMSC which were NMSC	78.46%
Ratio of New BCCs : New Melanomas	7:1

Accuracy

Diagnostic sensitivity

Melanomas	78.09% of 5,924
All NMSC	95.24% of 80,067
BCCs	90.37% of 42,221
SCCs	81.59% of 37,437

Positive predictive value

Melanomas	43.03% of 10,751
All NMSC	85.75% of 88,927
BCCs	42.91% of 88,927
SCCs	66.14% of 46,178

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	88.45% of 28,956
IEC/Bowens disease	86.34% of 7,974
SCC	85.35% of 11,225
Keratoacanthoma	90.35% of 1,700
Melanoma - in situ	77.31% of 3,711
Melanoma - invasive	75.63% of 919
Melanoma - invasive > 1mm	44.95% of 109
Other malignant	70.31% of 128

© 2026 SCARD Systems Pty Ltd

Lesion Breakdown

Histological Diagnosis

BCC (unspecified type)	5,736	3.92%
BCC - Superficial	10,676	7.29%
BCC - Nodular/Solid	21,690	14.81%
BCC - Aggressive	4,119	2.81%
IEC/Bowens disease	19,032	13.00%
SCC	16,159	11.04%
Keratoacanthoma	2,246	1.53%
Pinkus Fibroepithelioma	16	0.01%
Merkel cell tumour	28	0.02%
Other malignant	182	0.12%
NMSC Metastasis	0	0%
Melanoma - in situ	4,421	3.02%
Melanoma - invasive	1,180	0.81%
Melanoma - invasive > 1mm	297	0.20%
Melanoma - metastasis	26	0.02%
MELTUMP	183	0.12%
Naevus - other	7,579	5.18%
Naevus - dysplastic/Clark	4,279	2.92%
Naevus - blue	544	0.37%
Naevus - Spitz/Reed	145	0.10%
Naevus - Compound	2,267	1.55%
Solar keratosis	12,356	8.44%
Solar lentigo	2,057	1.40%
Seborrhoeic keratosis	8,224	5.62%
Lentigo Simplex	146	0.10%
Lichenoid keratosis (LPLK)	2,480	1.69%
Dermatofibroma	1,144	0.78%
Sebaceous gland hyperplasia	285	0.19%
Benign cyst	2,028	1.39%
Other benign	8,314	5.68%
Histology Pending	192	0.13%



© 2026 SCARD Systems Pty Ltd

Procedures

Definitive Surgical Management used to exclude melanoma

Ellipse	4,825	86.76%
Flap	70	1.26%
Graft - SSG	5	0.09%
Graft - FTSG	21	0.38%
No Closure	17	0.31%
Shave/Saucerisation	114	2.05%
Curettage & Cautery	44	0.79%
Liquid N2 freeze/thaw	1	0.02%
PDT	0	0%
Imiquimod	1	0.02%
5 FU cream	1	0.02%
GP referral	353	6.35%
Specialist referral	78	1.40%
Other	31	0.56%

Biopsy used to exclude melanoma

Punch - sample	1,749	9.32%
Shave - sample	2,264	12.07%
Incisional	264	1.41%
Punch - removal	3,516	18.74%
Shave - removal	4,004	21.34%
Excisional	6,903	36.80%
Curettage	13	0.07%
Other	38	0.20%

Breakdown of definitive management procedures for malignant conditions

Ellipse	46,977	66.10%
Flap	5,649	7.95%
Graft - SSG	336	0.47%
Graft - FTSG	1,751	2.46%
No Closure	176	0.25%
Shave/Saucerisation	1,089	1.53%
Curettage & Cautery	9,052	12.74%
Liquid N2 freeze/thaw	664	0.93%
PDT	53	0.07%
Imiquimod	541	0.76%
5 FU cream	1,144	1.61%
GP referral	1,061	1.49%
Specialist referral	1,671	2.35%
Other	345	0.49%

Breakdown of definitive management procedures for benign conditions

Ellipse	5,935	78.78%
Flap	63	0.84%
Graft - SSG	1	0.01%
Graft - FTSG	11	0.15%
No Closure	34	0.45%
Shave/Saucerisation	348	4.62%
Liquid N2 freeze/thaw	98	1.30%
5 FU cream	103	1.37%
GP referral	97	1.29%
Specialist referral	58	0.77%
Other	154	2.04%

© 2026 SCARD Systems Pty Ltd

Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	0.68% of 11,034
Complex Closures (inc Curettage & Cautery)	0.64% of 11,649

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	49	0.58% of 8,436
Lip	8	0.38% of 2,124
Ear	127	1.87% of 6,790
Eyelid	17	1.28% of 1,332
Other face	517	2.13% of 24,258
Scalp	169	2.61% of 6,464
Neck	257	3.31% of 7,774
Shoulder	438	6.49% of 6,750
Chest	331	3.81% of 8,684
Abdomen	143	7.09% of 2,017
Genitalia	4	1.98% of 202
Back	1869	8.98% of 20,822
Buttock	9	2.24% of 402
Arm	614	6.95% of 8,835
Forearm	358	3.46% of 10,343
Hand Dorsal	15	0.29% of 5,123
Hand Palmar	0	0% of 30
Finger Dorsal	2	0.24% of 827
Finger Nail	2	9.52% of 21
Finger Palmar	2	10.53% of 19
Thigh	299	6.61% of 4,521
Leg	618	3.39% of 18,204
Foot Dorsal	48	3.60% of 1,334
Foot Plantar	10	8.77% of 114
Toe Dorsal	14	6.36% of 220
Toe Nail	1	4.55% of 22
Toe Plantar	0	0% of 19
Palm Or Sole	0	0% of 0



© 2026 SCARD Systems Pty Ltd