
SCARD Pool report for 01-01-2024 to 31-12-2024

Participants	Doctors	410	
	Patients	80,689	
Specimens	New lesions	139,948	81.12%
	Previously biopsied lesions	32,573	18.88%
	Total lesions	172,521	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	61.35%
Percentage of Definitively excised lesions that were malignant	81.30%
Lesions tested to find one melanoma (NNT)	4.33
Percentage of lesions tested for NMSC which were NMSC	79.19%
Ratio of New BCCs : New Melanomas	8:1

Accuracy

Diagnostic sensitivity

Melanomas	78.19% of 5,457
All NMSC	94.90% of 75,738
BCCs	90.57% of 41,026
SCCs	80.40% of 34,243

Positive predictive value

Melanomas	39.34% of 10,846
All NMSC	84.83% of 84,730
BCCs	43.85% of 84,730
SCCs	65.89% of 41,787

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	88.84% of 28,146
IEC/Bowens disease	81.20% of 7,206
SCC	85.49% of 10,897
Keratoacanthoma	92.18% of 1,419
Melanoma - in situ	78.90% of 3,540
Melanoma - invasive	81.12% of 895
Melanoma - invasive > 1mm	36.54% of 104
Other malignant	72.52% of 131

© 2026 SCARD Systems Pty Ltd

Lesion Breakdown

Histological Diagnosis

BCC (unspecified type)	4,447	3.17%
BCC - Superficial	10,006	7.14%
BCC - Nodular/Solid	22,408	15.99%
BCC - Aggressive	4,165	2.97%
IEC/Bowens disease	17,283	12.34%
SCC	14,968	10.68%
Keratoacanthoma	1,992	1.42%
Pinkus Fibroepithelioma	20	0.01%
Merkel cell tumour	13	0.01%
Other malignant	217	0.15%
NMSC Metastasis	3	0.00%
Melanoma - in situ	4,059	2.90%
Melanoma - invasive	1,110	0.79%
Melanoma - invasive > 1mm	258	0.18%
Melanoma - metastasis	30	0.02%
MELTUMP	216	0.15%
Naevus - other	6,836	4.88%
Naevus - dysplastic/Clark	3,966	2.83%
Naevus - blue	559	0.40%
Naevus - Spitz/Reed	147	0.10%
Naevus - Compound	2,602	1.86%
Solar keratosis	11,590	8.27%
Solar lentigo	2,067	1.48%
Seborrhoeic keratosis	8,124	5.80%
Lentigo Simplex	195	0.14%
Lichenoid keratosis (LPLK)	2,668	1.90%
Dermatofibroma	1,070	0.76%
Sebaceous gland hyperplasia	253	0.18%
Benign cyst	2,363	1.69%
Other benign	8,335	5.95%
Histology Pending	161	0.11%



© 2026 SCARD Systems Pty Ltd

Procedures

Definitive Surgical Management used to exclude melanoma

Ellipse	4,130	89.39%
Flap	36	0.78%
Graft - SSG	9	0.19%
Graft - FTSG	13	0.28%
No Closure	7	0.15%
Shave/Saucerisation	50	1.08%
Curettage & Cautery	43	0.93%
Liquid N2 freeze/thaw	0	0%
PDT	0	0%
Imiquimod	0	0%
5 FU cream	1	0.02%
GP referral	276	5.97%
Specialist referral	38	0.82%
Other	13	0.28%

Biopsy used to exclude melanoma

Punch - sample	2,438	11.23%
Shave - sample	3,184	14.67%
Incisional	284	1.31%
Punch - removal	3,603	16.60%
Shave - removal	4,480	20.64%
Excisional	7,569	34.87%
Curettage	137	0.63%
Other	7	0.03%

Breakdown of definitive management procedures for malignant conditions

Ellipse	44,030	64.06%
Flap	5,142	7.48%
Graft - SSG	285	0.41%
Graft - FTSG	1,982	2.88%
No Closure	219	0.32%
Shave/Saucerisation	1,386	2.02%
Curettage & Cautery	9,500	13.82%
Liquid N2 freeze/thaw	812	1.18%
PDT	86	0.13%
Imiquimod	598	0.87%
5 FU cream	1,190	1.73%
GP referral	893	1.30%
Specialist referral	1,633	2.38%
Other	375	0.55%

Breakdown of definitive management procedures for benign conditions

Ellipse	4,944	73.81%
Flap	60	0.90%
Graft - SSG	6	0.09%
Graft - FTSG	14	0.21%
No Closure	15	0.22%
Shave/Saucerisation	394	5.88%
Liquid N2 freeze/thaw	134	2.00%
5 FU cream	85	1.27%
GP referral	102	1.52%
Specialist referral	47	0.70%
Other	197	2.94%

© 2026 SCARD Systems Pty Ltd

Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	0.76% of 10,484
Complex Closures (inc Curettage & Cautery)	0.72% of 11,154

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	51	0.60% of 8,457
Lip	5	0.23% of 2,199
Ear	136	2.20% of 6,186
Eyelid	7	0.50% of 1,387
Other face	515	2.22% of 23,211
Scalp	132	2.13% of 6,201
Neck	246	3.22% of 7,646
Shoulder	401	6.38% of 6,289
Chest	294	3.46% of 8,493
Abdomen	112	6.17% of 1,816
Genitalia	1	0.59% of 169
Back	1717	8.69% of 19,769
Buttock	10	2.90% of 345
Arm	581	6.92% of 8,390
Forearm	337	3.36% of 10,031
Hand Dorsal	9	0.19% of 4,741
Hand Palmar	3	6.82% of 44
Finger Dorsal	5	0.78% of 641
Finger Nail	2	16.67% of 12
Finger Palmar	0	0% of 26
Thigh	255	5.43% of 4,700
Leg	561	3.27% of 17,169
Foot Dorsal	45	3.30% of 1,363
Foot Plantar	10	9.52% of 105
Toe Dorsal	14	5.62% of 249
Toe Nail	0	0% of 19
Toe Plantar	3	14.29% of 21
Palm Or Sole	0	0% of 0



© 2026 SCARD Systems Pty Ltd