
SCARD Pool report for 01-01-2025 to 31-12-2025

Participants	Doctors	328	
	Patients	71,610	
Specimens	New lesions	122,695	80.91%
	Previously biopsied lesions	28,941	19.09%
	Total lesions	151,636	100.00%

Breakdown of new versus previously biopsied specimens



Percentage of new lesions tested which were malignant	62.66%
Percentage of Definitively excised lesions that were malignant	82.21%
Lesions tested to find one melanoma (NNT)	4.09
Percentage of lesions tested for NMSC which were NMSC	79.63%
Ratio of New BCCs : New Melanomas	8:1

Accuracy

Diagnostic sensitivity

Melanomas	80.58% of 4,587
All NMSC	95.80% of 68,567
BCCs	91.60% of 37,277
SCCs	81.67% of 30,832

Positive predictive value

Melanomas	39.12% of 9,447
All NMSC	85.40% of 76,916
BCCs	44.39% of 76,916
SCCs	68.32% of 36,855

Adequacy

Percentage of definitively managed malignant cases where surgical margins were adequate


BCC	89.64% of 25,793
IEC/Bowens disease	83.33% of 5,675
SCC	86.41% of 10,458
Keratoacanthoma	91.90% of 1,284
Melanoma - in situ	81.19% of 2,972
Melanoma - invasive	77.29% of 656
Melanoma - invasive > 1mm	52.17% of 69
Other malignant	67.52% of 157

© 2026 SCARD Systems Pty Ltd

Lesion Breakdown

Histological Diagnosis

BCC (unspecified type)	2,625	2.14%
BCC - Superficial	9,388	7.64%
BCC - Nodular/Solid	21,269	17.31%
BCC - Aggressive	3,995	3.25%
IEC/Bowens disease	14,766	12.02%
SCC	14,298	11.64%
Keratoacanthoma	1,768	1.44%
Pinkus Fibroepithelioma	9	0.01%
Merkel cell tumour	23	0.02%
Other malignant	256	0.21%
NMSC Metastasis	4	0.00%
Melanoma - in situ	3,456	2.81%
Melanoma - invasive	913	0.74%
Melanoma - invasive > 1mm	203	0.17%
Melanoma - metastasis	15	0.01%
MELTUMP	166	0.14%
Naevus - other	5,634	4.59%
Naevus - dysplastic/Clark	3,537	2.88%
Naevus - blue	411	0.33%
Naevus - Spitz/Reed	137	0.11%
Naevus - Compound	2,358	1.92%
Solar keratosis	9,510	7.74%
Solar lentigo	1,646	1.34%
Seborrhoeic keratosis	6,724	5.47%
Lentigo Simplex	143	0.12%
Lichenoid keratosis (LPLK)	2,107	1.72%
Dermatofibroma	881	0.72%
Sebaceous gland hyperplasia	197	0.16%
Benign cyst	2,128	1.73%
Other benign	7,909	6.44%
Histology Pending	151	0.12%



© 2026 SCARD Systems Pty Ltd

Procedures

Definitive Surgical Management used to exclude melanoma

Ellipse	2,692	86.37%
Flap	39	1.25%
Graft - SSG	2	0.06%
Graft - FTSG	19	0.61%
No Closure	3	0.10%
Shave/Saucerisation	40	1.28%
Curettage & Cautery	45	1.44%
Liquid N2 freeze/thaw	2	0.06%
PDT	0	0%
Imiquimod	1	0.03%
5 FU cream	3	0.10%
GP referral	208	6.67%
Specialist referral	48	1.54%
Other	8	0.26%

Biopsy used to exclude melanoma

Punch - sample	1,360	8.02%
Shave - sample	1,705	10.06%
Incisional	276	1.63%
Punch - removal	2,830	16.70%
Shave - removal	3,927	23.17%
Excisional	6,804	40.14%
Curettage	39	0.23%
Other	4	0.02%

Breakdown of definitive management procedures for malignant conditions

Ellipse	39,969	63.32%
Flap	4,552	7.21%
Graft - SSG	289	0.46%
Graft - FTSG	1,814	2.87%
No Closure	203	0.32%
Shave/Saucerisation	843	1.34%
Curettage & Cautery	9,287	14.71%
Liquid N2 freeze/thaw	817	1.29%
PDT	74	0.12%
Imiquimod	614	0.97%
5 FU cream	1,425	2.26%
GP referral	849	1.35%
Specialist referral	1,491	2.36%
Other	330	0.52%

Breakdown of definitive management procedures for benign conditions

Ellipse	4,180	73.00%
Flap	49	0.86%
Graft - SSG	2	0.03%
Graft - FTSG	5	0.09%
No Closure	10	0.17%
Shave/Saucerisation	364	6.36%
Liquid N2 freeze/thaw	95	1.66%
5 FU cream	112	1.96%
GP referral	80	1.40%
Specialist referral	33	0.58%
Other	158	2.76%

© 2026 SCARD Systems Pty Ltd

Procedures (continued)


Percentage of procedures/closures that were complex

Complex Closures	0.60% of 9,310
Complex Closures (inc Curettage & Cautery)	0.56% of 9,926

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	31	0.45% of 6,888
Lip	6	0.33% of 1,813
Ear	108	2.06% of 5,251
Eyelid	12	1.09% of 1,104
Other face	446	2.17% of 20,578
Scalp	112	2.09% of 5,354
Neck	199	2.95% of 6,745
Shoulder	346	6.30% of 5,493
Chest	220	3.02% of 7,294
Abdomen	94	5.67% of 1,657
Genitalia	0	0% of 175
Back	1394	8.14% of 17,130
Buttock	11	3.68% of 299
Arm	526	6.96% of 7,559
Forearm	288	3.11% of 9,254
Hand Dorsal	15	0.38% of 3,906
Hand Palmar	0	0% of 41
Finger Dorsal	2	0.36% of 562
Finger Nail	1	6.67% of 15
Finger Palmar	0	0% of 13
Thigh	222	5.27% of 4,213
Leg	492	3.12% of 15,754
Foot Dorsal	41	3.53% of 1,163
Foot Plantar	6	6.25% of 96
Toe Dorsal	13	7.18% of 181
Toe Nail	0	0% of 12
Toe Plantar	1	5.26% of 19
Palm Or Sole	0	0% of 0



© 2026 SCARD Systems Pty Ltd