


SCARD Pool report for 01-01-2025 to 31-12-2025

Participants	Doctors	177	
	Patients	20,561	
Specimens	New lesions	31,350	84.25%
	Previously biopsied lesions	5,861	15.75%
	Total lesions	37,211	100.00%

Breakdown of new versus previously biopsied specimens


Percentage of new lesions tested which were malignant	66.35%
Percentage of Definitively excised lesions that were malignant	83.47%
Lesions tested to find one melanoma (NNT)	3.74
Percentage of lesions tested for NMSC which were NMSC	80.57%
Ratio of New BCCs : New Melanomas	9:1

Accuracy
Diagnostic sensitivity

Melanomas	78.13% of 1,111
All NMSC	96.24% of 18,285
BCCs	91.67% of 10,063
SCCs	81.95% of 8,123

Positive predictive value


Melanomas	44.04% of 1,971
All NMSC	85.29% of 20,632
BCCs	44.71% of 20,632
SCCs	69.06% of 9,639

Adequacy
Percentage of definitively managed malignant cases where surgical margins were adequate

BCC	88.93% of 6,884
IEC/Bowens disease	85.85% of 1,746
SCC	83.66% of 2,834
Keratoacanthoma	93.07% of 332
Melanoma - in situ	80.61% of 748
Melanoma - invasive	78.88% of 161
Melanoma - invasive > 1mm	40.00% of 15
Other malignant	60.00% of 35

Lesion Breakdown
Histological Diagnosis

BCC (unspecified type)	304	0.97%
BCC - Superficial	2,601	8.29%
BCC - Nodular/Solid	6,046	19.27%
BCC - Aggressive	1,112	3.54%
IEC/Bowens disease	3,983	12.69%
SCC	3,684	11.74%
Keratoacanthoma	456	1.45%
Pinkus Fibroepithelioma	1	0.00%
Merkel cell tumour	7	0.02%
Other malignant	49	0.16%
NMSC Metastasis	1	0.00%
Melanoma - in situ	832	2.65%
Melanoma - invasive	223	0.71%
Melanoma - invasive > 1mm	49	0.16%
Melanoma - metastasis	7	0.02%
MELTUMP	41	0.13%
Naevus - other	1,036	3.30%
Naevus - dysplastic/Clark	760	2.42%
Naevus - blue	88	0.28%
Naevus - Spitz/Reed	34	0.11%
Naevus - Compound	488	1.56%
Solar keratosis	2,516	8.02%
Solar lentigo	368	1.17%
Seborrhoeic keratosis	1,447	4.61%
Lentigo Simplex	31	0.10%
Lichenoid keratosis (LPLK)	448	1.43%
Dermatofibroma	199	0.63%
Sebaceous gland hyperplasia	34	0.11%
Benign cyst	502	1.60%
Other benign	1,824	5.81%
Histology Pending	25	0.08%



BCC - 34.50%
IEC - 13.65%
SCC - 12.63%
Keratoacanthoma - 1.56%
Other malignant - 0.20%
Melanoma - 3.95%
Naevus - 8.25%
Solar keratosis - 8.62%
Solar lentigo - 1.37%
Seborrhoeic keratosis - 4.96%
Lichenoid keratosis - 1.54%
Dermatofibroma - 0.68%
Sebaceous gland - 0.12%
Benign cyst - 1.72%
Other benign - 6.25%

Procedures
Definitive Surgical Management used to exclude melanoma

Ellipse	621	87.46%
Flap	16	2.25%
Graft - SSG	0	0%
Graft - FTSG	7	0.99%
No Closure	2	0.28%
Shave/Saucerisation	7	0.99%
Curettage & Cautery	7	0.99%
Liquid N2 freeze/thaw	2	0.28%
PDT	0	0%
Imiquimod	1	0.14%
5 FU cream	1	0.14%
GP referral	27	3.80%
Specialist referral	12	1.69%
Other	5	0.70%

Biopsy used to exclude melanoma

Punch - sample	194	4.93%
Shave - sample	386	9.80%
Incisional	78	1.98%
Punch - removal	856	21.74%
Shave - removal	806	20.47%
Excisional	1,591	40.40%
Curettage	22	0.56%
Other	2	0.05%

Breakdown of definitive management procedures for malignant conditions

Ellipse	11,361	63.93%
Flap	1,209	6.80%
Graft - SSG	80	0.45%
Graft - FTSG	469	2.64%
No Closure	39	0.22%
Shave/Saucerisation	227	1.28%
Curettage & Cautery	3,173	17.86%
Liquid N2 freeze/thaw	116	0.65%
PDT	5	0.03%
Imiquimod	123	0.69%
5 FU cream	269	1.51%
GP referral	130	0.73%
Specialist referral	339	1.91%
Other	75	0.42%

Breakdown of definitive management procedures for benign conditions

Ellipse	935	69.57%
Flap	12	0.89%
Graft - SSG	0	0%
Graft - FTSG	3	0.22%
No Closure	3	0.22%
Shave/Saucerisation	87	6.47%
Liquid N2 freeze/thaw	25	1.86%
5 FU cream	26	1.93%
GP referral	9	0.67%
Specialist referral	7	0.52%
Other	44	3.27%

Procedures (continued)

Percentage of procedures/closures that were complex

Complex Closures	0.79% of 2,015
Complex Closures (inc Curettage & Cautery)	0.73% of 2,202

Locations

Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	8	0.43% of 1,858
Lip	0	0% of 489
Ear	34	2.47% of 1,375
Eyelid	4	1.39% of 288
Other face	128	2.45% of 5,219
Scalp	29	2.10% of 1,383
Neck	42	2.45% of 1,711
Shoulder	84	5.94% of 1,414
Chest	49	2.68% of 1,830
Abdomen	21	5.69% of 369
Genitalia	0	0% of 33
Back	307	7.33% of 4,190
Buttock	3	4.41% of 68
Arm	144	7.29% of 1,974
Forearm	84	3.45% of 2,436
Hand Dorsal	5	0.47% of 1,053
Hand Palmar	0	0% of 11
Finger Dorsal	0	0% of 129
Finger Nail	1	33.33% of 3
Finger Palmar	0	0% of 3
Thigh	54	5.50% of 982
Leg	102	2.47% of 4,131
Foot Dorsal	8	2.78% of 288
Foot Plantar	0	0% of 22
Toe Dorsal	3	7.50% of 40
Toe Nail	0	0% of 3
Toe Plantar	1	16.67% of 6
Palm Or Sole	0	0% of 0

