


SCARD Pool report for 01-01-2025 to 31-12-2025

Participants	Doctors	310	
	Patients	67,275	
Specimens	New lesions	115,125	81.37%
	Previously biopsied lesions	26,359	18.63%
	Total lesions	141,484	100.00%

Breakdown of new versus previously biopsied specimens


Percentage of new lesions tested which were malignant	63.25%
Percentage of Definitively excised lesions that were malignant	82.69%
Lesions tested to find one melanoma (NNT)	4.03
Percentage of lesions tested for NMSC which were NMSC	79.61%
Ratio of New BCCs : New Melanomas	8:1

Accuracy
Diagnostic sensitivity

Melanomas	80.46% of 4,243
All NMSC	95.91% of 64,811
BCCs	91.60% of 35,110
SCCs	82.11% of 29,295

Positive predictive value



Melanomas	40.24% of 8,484
All NMSC	85.21% of 72,947
BCCs	44.09% of 72,947
SCCs	68.61% of 35,060

Adequacy
Percentage of definitively managed malignant cases where surgical margins were adequate

BCC	89.86% of 24,054
IEC/Bowens disease	85.07% of 5,283
SCC	86.45% of 9,898
Keratoacanthoma	91.76% of 1,165
Melanoma - in situ	81.24% of 2,735
Melanoma - invasive	77.78% of 612
Melanoma - invasive > 1mm	52.24% of 67
Other malignant	67.20% of 125

Lesion Breakdown
Histological Diagnosis

BCC (unspecified type)	2,182	1.89%
BCC - Superficial	8,899	7.72%
BCC - Nodular/Solid	20,254	17.57%
BCC - Aggressive	3,775	3.27%
IEC/Bowens disease	14,085	12.22%
SCC	13,580	11.78%
Keratoacanthoma	1,630	1.41%
Pinkus Fibroepithelioma	9	0.01%
Merkel cell tumour	21	0.02%
Other malignant	209	0.18%
NMSC Metastasis	4	0.00%
Melanoma - in situ	3,180	2.76%
Melanoma - invasive	855	0.74%
Melanoma - invasive > 1mm	193	0.17%
Melanoma - metastasis	15	0.01%
MELTUMP	163	0.14%
Naevus - other	4,931	4.28%
Naevus - dysplastic/Clark	3,276	2.84%
Naevus - blue	368	0.32%
Naevus - Spitz/Reed	135	0.12%
Naevus - Compound	2,122	1.84%
Solar keratosis	8,841	7.67%
Solar lentigo	1,462	1.27%
Seborrhoeic keratosis	6,191	5.37%
Lentigo Simplex	140	0.12%
Lichenoid keratosis (LPLK)	1,949	1.69%
Dermatofibroma	810	0.70%
Sebaceous gland hyperplasia	182	0.16%
Benign cyst	2,019	1.75%
Other benign	7,422	6.44%
Histology Pending	147	0.13%



Procedures
Definitive Surgical Management used to exclude melanoma

Ellipse	2,476	86.03%
Flap	38	1.32%
Graft - SSG	2	0.07%
Graft - FTSG	17	0.59%
No Closure	3	0.10%
Shave/Saucerisation	38	1.32%
Curettage & Cautery	44	1.53%
Liquid N2 freeze/thaw	2	0.07%
PDT	0	0%
Imiquimod	1	0.03%
5 FU cream	3	0.10%
GP referral	193	6.71%
Specialist referral	46	1.60%
Other	8	0.28%

Biopsy used to exclude melanoma

Punch - sample	1,228	7.94%
Shave - sample	1,587	10.26%
Incisional	251	1.62%
Punch - removal	2,568	16.61%
Shave - removal	3,544	22.92%
Excisional	6,241	40.36%
Curettage	34	0.22%
Other	4	0.03%

Breakdown of definitive management procedures for malignant conditions

Ellipse	37,144	62.32%
Flap	4,331	7.27%
Graft - SSG	288	0.48%
Graft - FTSG	1,751	2.94%
No Closure	161	0.27%
Shave/Saucerisation	833	1.40%
Curettage & Cautery	9,170	15.38%
Liquid N2 freeze/thaw	806	1.35%
PDT	66	0.11%
Imiquimod	592	0.99%
5 FU cream	1,398	2.35%
GP referral	805	1.35%
Specialist referral	1,426	2.39%
Other	299	0.50%

Breakdown of definitive management procedures for benign conditions

Ellipse	3,914	72.83%
Flap	47	0.87%
Graft - SSG	2	0.04%
Graft - FTSG	4	0.07%
No Closure	9	0.17%
Shave/Saucerisation	332	6.18%
Liquid N2 freeze/thaw	88	1.64%
5 FU cream	112	2.08%
GP referral	73	1.36%
Specialist referral	33	0.61%
Other	146	2.72%

Procedures (continued)
Percentage of procedures/closures that were complex

Complex Closures	0.61% of 8,699
Complex Closures (inc Curettage & Cautery)	0.57% of 9,292

Locations
Breakdown of melanomas by location and percentage melanomas of total lesions at that location

Nose	27	0.41% of 6,529
Lip	5	0.29% of 1,714
Ear	100	2.02% of 4,950
Eyelid	11	1.05% of 1,050
Other face	421	2.17% of 19,433
Scalp	104	2.06% of 5,046
Neck	183	2.87% of 6,367
Shoulder	318	6.16% of 5,165
Chest	206	3.04% of 6,782
Abdomen	82	5.46% of 1,502
Genitalia	0	0% of 163
Back	1287	8.11% of 15,869
Buttock	11	4.21% of 261
Arm	491	6.93% of 7,083
Forearm	273	3.11% of 8,786
Hand Dorsal	14	0.38% of 3,678
Hand Palmar	0	0% of 38
Finger Dorsal	2	0.37% of 535
Finger Nail	1	6.67% of 15
Finger Palmar	0	0% of 11
Thigh	203	5.23% of 3,879
Leg	446	3.01% of 14,804
Foot Dorsal	39	3.60% of 1,083
Foot Plantar	5	5.49% of 91
Toe Dorsal	12	7.23% of 166
Toe Nail	0	0% of 11
Toe Plantar	1	5.56% of 18
Palm Or Sole	0	0% of 0

